

# NEW CHELATING AZULENE MODIFIED ELECTRODES FOR HEAVY METAL IONS ANALYSIS

Eleonora-Mihaela Ungureanu<sup>a\*</sup>, Elena Diacu<sup>a</sup>, George-Octavian Buica<sup>a</sup>, Liviu Birzan<sup>b</sup>, Luisa-Roxana Mandoc (Popescu), Cristina-Andreea Amarandei<sup>a</sup>,

<sup>a</sup> University “Politehnica” of Bucharest, Gheorghe Polizu 1-7, 011061, Sector1, Bucharest, Romania, [em\\_ungureanu2000@yahoo.com](mailto:em_ungureanu2000@yahoo.com)

<sup>b</sup> Institute of Organic Chemistry “C. D. Nenitzescu” of Romanian Academy, Spl. Independentei 202B, PO Box 15-258, 71141-Bucharest, Romania

Electrochemical behaviour of a large number of vinyl azulene-derivatives (**L**) has been investigated. Complexing polymer-coated electrodes have been prepared by oxidative electropolymerization of **L** in acetonitrile solutions containing 0.1M tetrabutylammonium perchlorate. The films were characterized by cyclic voltammetry, differential pulse-voltammetry and scanning electron microscopy [1]. The complexing properties of **L** and these new polymer-coated electrode materials were investigated towards heavy metal ions leading to complexation of these metal cations inside the polymer film. The novel chelating chemically modified electrodes were used for the electrochemical detection of heavy metal ions by means of the chemical preconcentration–anodic stripping technique. The electrode material showed a particular selectivity towards lead ions, even in the presence of a large excess of other metal cations. Detection limits for lead(II) and cadmium(II) ions were in the range of nanomolar concentrations [2]. These modified electrodes have been used for the determination of lead in water samples.

## Acknowledgment

This work was supported by the projects: UEFISCDI 15/2011 and 236/2014, and POSDRU/159/1.5/S/137390

## References

- [1] G.-O. Buica, E.-M. Ungureanu, A. Razus, L. Birzan, M.-R. Bujduveanu, *Elchim. Acta*, 56 (2011) 5028-5036.
- [2] G.-O. Buica, E.-M. Ungureanu, L. Birzan, A.C. Razus, L.-R. Mandoc, *J. Electroanal. Chem.*, 693 (2013) 67 – 72.